Forest Service

Black Hills National Forest Northern Hills Ranger District

2014 N Main Street Spearfish SD 57783 605-642-4622

File Code: 2160

Date: July 12, 2005

xxx xxx

xxx, SD xxx

Dear

The Black Hills National Forest invites you to a public meeting on July 28, 2005, at 6:30 p.m. at the Nemo Town Hall. We will provide an overview and history of the ground water monitoring on the site, and will give you an opportunity to ask questions and look at our data.

In the 1960's, the Forest Service stored and mixed a pesticide, Ethelyne Dibromide (EDB), at the Nemo Work Center to control mountain pine beetles. Ground water samples taken by our consultant in late 1996 showed levels of EDB in surrounding wells that exceeded the Environmental Protection Agency's minimum contaminant level for public drinking water.

Since that time, the Forest Service has continued to monitor ground water quality in the area, and has taken steps to ensure local residents adversely affected by the contamination are provided a clean source of drinking water.

If you have questions please call Rusty Wilder, project coordinator, at (605) 673-9268, or give me a call at (605) 642-4622.

Sincerely,

/s/ Kaye Olpin (for)
PAMELA E. BROWN
District Ranger

Enclosure:

cc: Suzanne Buntrock, Rusty Wilder, Kaye Olpin





F.Name	L.Name	Title	Org	Street Line 2	City		State	Zip
Virginia	Clark	Secretary	Nemo Volunteer FiP.O. Box 93	P.O. Box 93	ž	Nemo S	SD	57759
Brian and Joan	Rech			P.O. Box 133	ž	Nemo S	SD	57759
Jerry and Patricia	Ноон			P.O. Box 78	ž	Nemo S	SD	57759
Gary and Linda	Latin			P.O. Box 20	ž	Nemo	SD	57759
Anton J and Rita J	Martin Trust			P.O. Box 164	ž	Nemo S	SD	57759
Margie	Ford			P.O. Box 53	ž	Nemo S	SD	57759
Daniel	Martin			12751 Martin Rd.	ž	Nemo S	SD	57759
Dennis and Debra	Martin	C/O Wayne	C/O Wayne and Linda Allgier	P.O. Box 34	ž	Nemo S	SD	57759
Dennis Anton	Martin			Box 163	ž	Nemo S	SD	57759
Elton	Adams			Box 66	ž	Nemo S	as	21128
James A.	Hansen	C/O Ron Wick	/ick	12737 Guest Ranch LoNemo	ich La		SD	57759
Ron	Wick	*****	Nemo Guest Rand 12737 Guest Ranch Lonemo	12737 Guest Rar	ich LaN		SD	57759
Jeff	Masten, ETAL	C/O Kathryn Masten	n Masten	4780 Carriage Hills Dr Rapid City	lls Dr Ra	apid City S	SD	57702
Joseph	Scott			Box 58	ž	Nemo S	SD	57759
Burton	Tungland			P.O. Box 121	ž		SD	57759
Norman and Cheryl	Eggers			22111 Old Sawmill Rd Nemo	iii Rd Ne		as	57759
Gary and Janice	Kaberna			Box 102	Ž	Nemo S	SD	57759
Laurence and Georgia Shedd	Shedd	****************************		14045 23rd St.		Stillwater N	MN	55082
Terasa	Neer, ETAL	C/O Nemo	C/O Nemo Properties	4208 S. Judy Ave		Sioux Falls SD	Q	57103
Leigh	Tange, ETAL	C/O Nemo	C/O Nemo Properties	4208 S. Judy Ave		Sioux Falls SD	Ű	57103
Nemo Community Church	urch			P.O. Box 78	ž	Nemo S	SD	57759
George	Krahn	And Don M	And Don Westen and Dean O 909 Montreal Circle	909 Montreal Circ		St. Paul N	MN	55102
George and Lavon	Krahn	And Sharon R. Harris	າ R. Harris	P.O. Box 91	Ň	Nemo S	SD	57759

Public Meeting with the US Forest Service Ground Water Contamination Study

Subject:

Update on Monitoring of Ground Water Contamination Vicinity of the Forest Service's Nemo Work Station

When: July 28, 2005 at 6:30 p.m.

Where: Nemo Town Hall

Meeting topics: In the 1960's, the Forest Service stored and mixed a pesticide, Ethelyne Dibromide (EDB), at the Nemo Work Center to control mountain pine beetles. Ground water samples taken by our consultant in late 1996 showed levels of EDB in surrounding wells that exceeded the Environmental Protection Agency's minimum contaminant level for public drinking water.

Since that time, the Forest Service has continued to monitor ground water quality in the area, and has taken steps to ensure local residents adversely affected by the contamination are provided a clean source of drinking water.

We will provide an overview and history of our ground water monitoring on the site, and will give you an opportunity to ask questions and look at our data

Contacts: If you have questions please call Rusty Wilder, project coordinator, at (605) 673-9268, or Pam Brown, District Ranger, at (605) 642-4622.